

04/13/99  
JC618 U.S. PTO  
JOAN PENNINGTON  
(312) 697-2403

LAW OFFICES  
MASON, KOLEHMAINEN, RATHBURN & WYSS  
SUITE 2400  
300 SOUTH WACKER DRIVE  
CHICAGO, ILLINOIS 60606-6701  
(312) 697-2400

7  
FACSIMILE  
(312) 697-2400  
JC511 U.S. PTO  
09/29/95  
04/13/99

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

"Express Mail" mailing label number EM156588435US  
Date of Deposit: April 13, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date inscribed above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

JOAN PENNINGTON  
(Typed or printed name of person mailing paper or fee)  
*Joan Pennington*  
(Signature of person mailing paper or fee)

Honorable Commissioner of  
Patents and Trademarks  
Box **PATENT APPLICATION**  
Washington, D.C. 20231

Re: New Patent Application  
Bates et al. - RO998-223

Dear Sir:

We enclose herewith the application of Bates et al. for Letters Patent for METHOD AND COMPUTER PROGRAM PRODUCT FOR IMPLEMENTING WEB BASED DOCUMENT PRINTING (Case RO998-223), including the specification, a set of 26 claims and one copy of the drawings (8 sheets). Also enclosed is the Declaration with Power of Attorney and an Assignment to INTERNATIONAL BUSINESS MACHINES CORPORATION.

We have calculated the filing fee as follows:

Basic fee	\$760.00
Additional filing fees:	
6 claims in excess of 20, times \$18	108.00
3 independent claims, minus 3, times \$78	0.00
Assignment Recordal Fee	<u>40.00</u>
	\$908.00

Honorable Commissioner of  
Patents and Trademarks  
Page 2  
Case No. RO998-223

Please charge the filing fee and assignment recordal fee in the amount of \$908.00 to Deposit account No. 09-0465 of International Business Machines Corporation.

The Commissioner of Patents and Trademarks is hereby authorized to charge any deficiency or credit any overpayment in the above fees to the deposit account No. 09-0465 of International Business Machines Corporation. A duplicate copy of this letter is enclosed.

Respectfully submitted,

MASON, KOLEHMAINEN, RATHBURN & WYSS

By:   
Joan Pennington  
Reg. No. 30,885  
Tel: (312) 697-2403

CERTIFICATE OF MAILING BY "EXPRESS MAIL"


"Express Mail" mailing label number EM156588435US

Date of Deposit: April 13, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date inscribed above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

JOAN PENNINGTON

(Typed or printed name of person mailing paper or fee)

  
(Signature of person mailing paper or fee)

-1-

**METHOD AND COMPUTER PROGRAM PRODUCT FOR IMPLEMENTING  
WEB BASED DOCUMENT PRINTING**

**Field of the Invention**

5 The present invention relates generally to the data processing field, and more particularly, relates to a method, apparatus and computer program product for implementing web based document printing.

**Description of the Related Art**

10 There is no easy way to efficiently control the printing of documents that are stored on the Web. Often sections of a desired document have different URLs, and one section references other sections using hypertext links. Neither the originator or author of the document or a user can prepare the document for easy printing when the document has several URL segments. A mechanism is needed to easily combine a set of URLs into one contiguous printout for a user selected document.

15 **Summary of the Invention**

20 A principal object of the present invention is to provide an improved method, apparatus and computer program product for implementing internet web based document printing. Other important objects of the present invention are to provide such internet web based document printing method, apparatus and computer program product that efficiently and effectively facilitates printing particular internet web pages; to provide such internet web based document printing method, apparatus and computer program product

RO998-223

substantially without negative effect; and provide such internet web based document printing method, apparatus and computer program product that overcome many of the disadvantages of prior art arrangements.

5 In brief, a method, apparatus and computer program product are provided for implementing web based document printing. A print index is obtained. User selected uniform resource locators (URLs) are identified in the print index. The URLs in the print index are sequentially printed.

10 In accordance with features of the invention, the print index stores a list of user selected uniform resource locators (URLs) to be printed. A web based printing program utilizes the stored print index for printing a document including the list of user selected uniform resource locators (URLs).

### **Brief Description of the Drawings**

15 The present invention together with the above and other objects and advantages may best be understood from the following detailed description of the preferred embodiments of the invention illustrated in the drawings, wherein:

20 FIGS. 1 and 2 are block diagram representations illustrating a computer system and operating system for implementing a method and computer program product for implementing internet web based document printing in accordance with the invention;

FIG. 3 is an exemplary display screen of the system of FIG. 1 illustrating a user interface for providing user selected print options in accordance with the preferred embodiment;

25 FIGS. 4, 5, 6 and 7 are flow charts illustrating exemplary steps for implementing web based document printing in accordance with the preferred embodiment; and

FIG. 8 is a block diagram illustrating a computer program product in accordance with the preferred embodiment.

## Detailed Description of the Preferred Embodiments

Having reference now to the drawings, in FIGS. 1 and 2, there is shown a computer or data processing system of the preferred embodiment generally designated by the reference character 100. As shown in FIG. 1, computer system 100 includes a central processor unit (CPU) 102, a read only memory 103, a random access memory 104, a display adapter 106 coupled to a display 108. CPU 102 is connected to a user interface (UI) adapter 110 connected to a pointer device and keyboard 112. CPU 102 is connected to an input/output (IO) adapter 114 connected to a direct access storage device (DASD) 116 and a tape unit 118. CPU 102 is connected to a communications adapter 120 providing a communications function. It should be understood that the present invention is not limited to a computer model with a single CPU, or other single component architectures as shown in FIG. 1.

As shown in FIG. 2, computer system 100 includes an operating system 130 and a web document printing program 132 of the preferred embodiment. In accordance with features of the invention, a document print index 134 of the preferred embodiment includes a list of multiple linked URLs 136 to be printed when a particular document is printed. The document print index 134 is stored at one URL site.

Various commercially available computers can be used for computer system 100, for example, an IBM personal computer. CPU 102 is suitably programmed by the web document printing program 132 to generate display screen, for example as shown in FIG. 3 to receive user document printing selected options, and to execute the flowcharts of FIGS. 4, 5, 6 and 7.

The document print index 134 is explicitly specified by the document originator, and stored in the document root from which the other URLs in the document are linked. A simple example of a specification of the document print index 134 to print five URLs follows in TABLE 1:

TABLE 1

5      <Print> URL 1 </Print>  
      <Print> URL 2 </Print>  
      <Print> URL 3 </Print>  
      <Print> URL 4 </Print>  
      <Print> URL 5 </Print>

10      In accordance with features of the invention, another way to print is via a scattered print specification 138 of one or more URL print functions 140 with HTML tags. Here, the document owner scatters the print commands within the separate URLs that link to other document segments. The anchor HTML element is extended to include a print function 140. For example, <A HREF="[URL 1]">[text for link]</A>, is extended to specify that this URL is to be printed, such as: <A PRINT="YES" HREF="[URL 1]">[text for link]</A>.

15      When the document is printed, each anchor tag with PRINT = Yes will cause that URL to print, while anchor tags that do not have PRINT = Yes will not print that URL. When a URL to be printed is downloaded at print time, it is searched for URLs included within the downloaded URL to be printed, thus propagating the print through as many branches as needed.

20      Using either the document print index 134 or the scattered print specification 138, at print time the URLs to be printed are compiled into the final document, where pagination, section heading numbers, lists, cross references, tables of contents, and the like are applied to the entire document spanning all the URLs to be printed.

25      In accordance with features of the invention, based upon the document print index 134 and the scattered print specification 138, several functions are provided in the method of the preferred embodiment. For the document print index 134, a window can be provided for user access and control. For example, in the following window presentation in TABLE 2, the user may click URLs 1, 3, and 5 to specify that only these URLs are to be  
30      printed on this printout.

TABLE 2

URL 1 <

URL 2

URL 3 <

5 URL 4

URL 5 <

10 The document owner can define print index sub-sets of the document to be selected with a single button. For example, for a particular report, clicking summary could automatically select 25 URLs for a 450 page printout. Or, clicking detailed report could select 100 URLs for 2800 pages of the complete report. After generating the sub-set, the user can still access the Print Index to de-select unwanted portions of the sub-set.

15 Dynamic creation of print index 134 can be used two ways. First, the user has browsed several URLs and wants to print them as a unit. He clicks an option to begin print, at which time the automatic Print Index function is called. Then the user navigates in sequence the desired URLs to be printed. As each URL is navigated it is automatically added to the print index 134. The user can then click a print function and print the navigated pages, with or without ever seeing the system generated print index 134. Second, the document is designed to be printed using the scattered method. As the URLs are gathered to be printed, a print index 134 is generated by the system. Before printing, the system can open an options window for the print index 134, and the user can then deselect/rearrange URLs, save this print index 134 for later use and the like.

25 The new HTML print control tags 140 of the preferred embodiment include a root URL tag 144. The root URL tag 144 defines the current URL to be the root of the document, serving as the anchor from which other portions of the document are linked, and in which the author's print index 134 is found. A pointer to root URL tag 146 is used to identify hypertext links that point to the Root URL document. In this way, when on any page that belongs to the Root document, the print function can orient to the root URL/print Index and print a cohesive document. Print Index sub-sets tags 148 are used by the document owner to define sub-set printings of the document. For example, to define a summary sub-set under which given

URLs will print when this sub-set 148 is selected by the user, insert <Print sub-set> Summary </Print sub-set> into these URLs. There is no restriction that one URL belong to only one sub-set 148. A print order number 150 and a print order control 152 together define the order in which to print a URL in relation to other URLs in the document layout for the scattered method of printing. Two print order controls 152 are defined as a simple control 154 and a hierarchical control 156. With the simple print order control 154, the print order numbers 150 are a simple sequence. A URL assigned a print order number of 50 would print before URL with print order number of 60, and so on. It is assumed that the document originator has knowledge of all URLs in his document and assigns print order numbers 150 accordingly.

With the hierarchical print order control 156, a hierarchy scheme is applied to the whole document, with print order numbers 150 assigned to each URL segment in a hierarchical fashion, such as 1, 1.1, 2, 2.1. The Print Order Control HTML tag, as illustrated under kind of multi-print in FIG. 3, would then specify which of two hierarchical orders to print including a branch-first order, for example, a default option and a level-first order. The branch-first order prints 1, 1.1, 2, 2.1, where each branch is traversed before going to the next branch. The level-first order prints 1, 2, 1.1, 2.1, where highest level orders are printed first.

An override function allows override of HTML print tags that control the order of printing. For example, the user may want the summary portion of the document printed first instead of last. This may be done by dragging and dropping URLs in the Print Index window to re-order URLs for printing.

Auxiliary uses of the print index 134 are enabled by the grouping of URLs into one index 134 that can be applied to other functions besides printing: For example, a find option can be used with the print index 134 to search a set of URLs in one operation. The print index 134 can easily provide functions including a FIND, span all and a FIND, span scoped. The FIND, span all option in a print index 134 drop down searches text in all URLs in the print index 134, whether or not the URLs are selected for printing. The FIND - span scoped option searches text in only those URLs in the print index 134 selected for printing. This provides an easy way to control the scope of a Find whether or not you actually print the selected



URLs. Spell check and other document-wide functions can in like manner span the URLs of the print index 134. Sharing of Print Indexes can be provided once a fine tuned print index 134, mechanisms can be used to share with others. For example, services can provide dedicated sites that  
5 contain useful print indexes 134, to be linked by related sites.

Referring now to FIG. 3, an exemplary display screen generally designated by 300 illustrates a user interface for providing user selected print options in accordance with the preferred embodiment. A user enters selections to confirm print index, select a kind of multi-print and the scatter  
10 kind, as illustrated in FIG. 3. A user selection of honor HTML tags overrides HTML tags that define the print index, manual and current page only print functions.

FIGS. 4, 5, 6 and 7 illustrate exemplary steps for implementing web based document printing in accordance with the preferred embodiment.  
15 Referring to FIG. 4, exemplary steps to traverse and create the print index 134 are shown starting at a block 400. A print index is created as indicated at a block 402. Checking whether a scattered level first is set is performed as indicated at a decision block 404. If the scattered level first is not set, then a scattered branch first routine is performed, passing a current page as the parameter indicated at a block 406. With the scattered branch first  
20 routine, each branch is traversed before going to the next branch to print sequential branches. If the scattered level first is set, then a scattered level first routine is performed, passing a current page URL as the parameter indicated at a block 408. With the scattered level first routine, highest level  
25 orders are printed first.

Referring to FIG. 5, exemplary steps to obtain a kind of multi-print are shown starting at a block 500. Checking for the honor HTML option is performed as indicated at a decision block 502. If the honor HTML option is not set, then checking whether the print index is selected is performed as  
30 indicated at a decision block 504. When the print index is not selected, checking for scattered print set is performed as indicated at a decision block 506. When scattered print is set, then the scattered print is returned as indicated at a block 508. When scattered print is not set, then checking whether manual is set is performed as indicated at a decision block 510.

When manual is set, then manual print is returned as indicated at a block 512. When manual is not set, then only the current page print is returned as indicated at a block 514. When the print index is selected at block 504, then checking whether the print index is found in the current page as indicated at a decision block 516. When the print index is found in the current page, then the print index is returned as indicated at a block 518. When the print index is not found in the current page, then only the current page print is returned as indicated at a block 520. When the honor HTML option is set at block 502, checking whether the print index is found in the current page is performed as indicated at a decision block 522. When the print index is found in the current page, then the print index is returned as indicated at a block 524. When the print index is not found in the current page, then checking whether print = Yes and anchor tags are present in the current page is performed as indicated at a decision block 526. When print = Yes and anchor tags are present in the current page, then the scattered print is returned as indicated at a block 528. Otherwise, only the current page print is returned as indicated at a block 530.

Referring to FIG. 6, exemplary steps to obtain the print index 134 are shown starting at a block 600. Checking whether the whole print option is selected is performed as indicated at a decision block 602. When the whole print option is selected, checking whether the root tag is present in the current page is performed as indicated at a decision block 604. When the root tag is present in the current page, then switching to this root URL for printing purposes is provided as indicated at a block 606. When the whole print option is not selected or when the root tag is not present in the current page at block 604, then the routine to obtain the kind of multi-print of FIG. 5 is performed as indicated at a block 608. Checking for an existing print index is performed as indicated at a decision block 610. When an existing print index is identified, then the existing print index is retrieved as indicated at a block 612. When an existing print index is not identified, then checking for the scattered print option is performed as indicated at a decision block 614. When the scattered print option is identified, then the routine to traverse and create the print index from scattered anchor tags with marker print equals yes as indicated at a block 616. When the scattered print option is not identified, then checking for the manual selection is performed as indicated at a decision block 618. When the manual selection is identified, then the

print index is manually created as indicated at a block 620. When the manual selection is not identified, then checking for only current page option is performed as indicated at a decision block 622. Then the print index that contains only the current page is created as indicated at a block 624. The print index from any of the blocks 612, 616, 620 and 624 is sorted by index number as indicated at a block 626. This completes the sequential obtain print index operations as indicated at a block 628.

Referring to FIG. 7, exemplary print function steps are shown starting at a block 700. First the obtain print index routine of FIG. 6 are performed as indicated at a block 702. Checking whether confirm print index option is selected is performed as indicated at a decision block 704. When the confirm print index option is selected, then the routine to display and edit the print index is performed as indicated at a block 706. When the confirm print index option is not selected, then all URLs in the print index are printed in the order that the URLs appear in the print index is provided as indicated at a block 708. This completes the sequential print function operations as indicated at a block 710.

Referring now to FIG. 8, an article of manufacture or a computer program product 800 of the invention is illustrated. The computer program product 800 includes a recording medium 802, such as, a floppy disk, a high capacity read only memory in the form of an optically read compact disk or CD-ROM, a tape, a transmission type media such as a digital or analog communications link, or a similar computer program product. Recording medium 802 stores program means 804, 806, 808, 810 on the medium 802 for carrying out the methods for implementing web based document printing of the preferred embodiment in the system 100 of FIGS. 1 and 2.

A sequence of program instructions or a logical assembly of one or more interrelated modules defined by the recorded program means 804, 806, 808, 810, direct the computer system 100 for implementing web based document printing of the preferred embodiment.

While the present invention has been described with reference to the details of the embodiments of the invention shown in the drawing, these details are not intended to limit the scope of the invention as claimed in the

appended claims.

## Claims

What is claimed is:

- 1           1.     A method for implementing web based document printing  
2 comprising the steps of:  
3           obtaining a print index; and  
4           identifying uniform resource locators (URLs) in said print index; and  
5           sequentially printing said URLs in said print index.
- 1           2.     The method for implementing web based document printing as  
2 recited in claim 1 further includes the step of checking for a user selection of  
3 confirm print index option, and responsive to identifying said user selection of  
4 confirm print index option, performing a display and edit print index routine.
- 1           3.     The method for implementing web based document printing as  
2 recited in claim 1 wherein the step of obtaining said print index includes the  
3 steps of checking for a user selection of whole print option, and responsive to  
4 identifying said user selection of whole print option, checking for a root tag  
5 present in the current page.
- 1           4.     The method for implementing web based document printing as  
2 recited in claim 3 includes the steps of responsive to identifying said root tag  
3 present in the current page, switching to said root tag for printing.
- 1           5.     The method for implementing web based document printing as  
2 recited in claim 1 wherein the step of obtaining said print index includes the  
3 steps of obtaining a kind of multi print to perform.
- 1           6.     The method for implementing web based document printing as  
2 recited in claim 5 includes the steps of checking for a user selection of honor  
3 HTML, responsive to identifying said user selection of honor HTML, checking  
4 for a print index in the current page.
- 1           7.     The method for implementing web based document printing as  
2 recited in claim 6 includes the steps of responsive to said print index in the  
3 current page, returning said print index.

1           8.     The method for implementing web based document printing as  
2     recited in claim 6 includes the steps of checking for a user selection of print  
3     equal yes and anchor tags present in the current page, and responsive to  
4     identifying said user selection of print equal yes and anchor tags present in  
5     the current page returning scattered print.

1           9.     The method for implementing web based document printing as  
2     recited in claim 8 includes the steps of responsive to not identifying said user  
3     selection of print equal yes and anchor tags present in the current page  
4     returning only current page print.

1           10.    The method for implementing web based document printing as  
2     recited in claim 6 includes the steps of responsive to not identifying said user  
3     selection of honor HTML, checking for a user selection of print index.

1           11.    The method for implementing web based document printing as  
2     recited in claim 10 includes the steps of responsive to identifying said user  
3     selection of print index, checking for a print index present in the current page.

1           12.    The method for implementing web based document printing as  
2     recited in claim 11 includes the steps of responsive to identifying said print  
3     index present in the current page, returning said print index.

1           13.    The method for implementing web based document printing as  
2     recited in claim 12 includes the steps of responsive to identifying said print  
3     index present in the current page, returning only current page print.

1           14.    The method for implementing web based document printing as  
2     recited in claim 10 includes the steps of responsive to not identifying said  
3     user selection of print index, checking for a user selection of scattered print  
4     and responsive to identifying said user selection of scattered print, returning  
5     scattered print.

1           15.    The method for implementing web based document printing as  
2 recited in claim 10 includes the steps of responsive to not identifying said  
3 user selection of print index, checking for a user selection of manual print  
4 and responsive to identifying said user selection of manual print, returning  
5 manual print.

1           16.    The method for implementing web based document printing as  
2 recited in claim 5 includes the steps of checking for an existing print index,  
3 and responsive to identifying said existing print index, returning said existing  
4 print index.

1           17.    The method for implementing web based document printing as  
2 recited in claim 5 includes the steps of checking for a scattered print option,  
3 and responsive to identifying said scattered print option, creating a print  
4 index from scattered anchor tags marked print equal to yes.

1           18.    The method for implementing web based document printing as  
2 recited in claim 5 includes the steps of checking for a manual print option,  
3 and responsive to identifying said manual print option, manually creating a  
4 print index.

1           19.    The method for implementing web based document printing as  
2 recited in claim 5 includes the steps of creating a print index containing only  
3 the current page.

1           20.    The method for implementing web based document printing as  
2 recited in claim 1 includes the steps of identifying a user selection of level  
3 first and creating a print index to print highest level orders first.

1           21.    The method for implementing web based document printing as  
2 recited in claim 1 includes the steps of identifying a user selection of branch  
3 first and creating a print index to sequentially print each branch.

1           22.   Apparatus for implementing web based document printing  
2 comprising:  
3           a stored document print index, said document print index including a  
4 list of user selected uniform resource locators (URLs) to be printed; and  
5           a web based printing program utilizing said stored document print  
6 index for printing a document including said list of user selected uniform  
7 resource locators (URLs).

1           23.   Apparatus for implementing web based document printing as  
2 recited in claim 22 includes a scattered print specification, said scattered  
3 print specification including a URL print control function with HTML elements.

1           24.   Apparatus for implementing web based document printing as  
2 recited in claim 23 includes a print order number and a print order control.

1           25.   A computer program product implementing web based  
2 document printing comprising:  
3           a recording medium;  
4           means, recorded on the recording medium, for storing a print index,  
5 said print index including a list of user selected uniform resource locators  
6 (URLs) to be printed;  
7           means, recorded on the recording medium, for obtaining said print  
8 index and for printing a document including said list of user selected uniform  
9 resource locators (URLs).


1           26.   The computer program product implementing web based  
2 document printing as recited in claim 25 includes means, recorded on the  
3 recording medium, for identifying a user selected scattered print specification  
4 and means, recorded on the recording medium, for identifying URLs with  
5 HTML elements having anchor tags of a user selection of print equals yes  
6 and for printing a document including said URLs with HTML elements having  
7 anchor tags of said user selection of print equals yes.



## Abstract of the Disclosure

5

10

FIG. 1




FIG. 2

300

OPTIONS

☒ CONFIRM PRINT INDEX

KIND OF MUTI-PRINT:

☒ HONOR HTML TAGS

☐ PRINT INDEX

☐ MANUAL

☐ SCATTERED

☐ CURRENT PAGE ONLY

KIND OF SCATTERED

☐ LEVEL FIRST

☒ BRANCH FIRST

FIG. 3






FIG. 4

FIG.5

FIG.6



FIG.7



FIG. 8



As a below named inventor, I hereby declare that:

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Priority Claimed

I hereby claim the benefit under Title 35, United States Code, §120 of any United States Application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the

\_\_\_\_ This declaration ends with this page.  X  Signature for 2nd and subsequent inventors. # pages added 2

prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT International filing date of this application:

(NONE)

(Application Serial No.)

(Filing Date)

(Status) (Patented, Pending, Abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.  
(List name and registration number)

Matthew J. Bussan - 33,614

Christopher A. Hughes - 26,914

Owen J. Gamon - 36,143

Edward A. Pennington - 32,588

Pryor A. Garnett - 32,136

John E. Hoel - 26,279

Joseph E. Redmond, Jr. - 18,753

Joan Pennington - 30,885

Steven W. Roth - 34,712

Philip M. Kolehmainen - 22,992

Roy W. Truelson - 34,265

Send Correspondence to: Joan Pennington  
Mason, Kolehmainen, Rathburn & Wyss  
300 S. Wacker Drive, Suite 2400  
Chicago, IL 60606

Direct Telephone Calls to: Joan Pennington  
Area Code 312-697-2403

Full name of sole or first Inventor: Cary Lee Bates

Inventor's signature

Date



04-12-99

Residence: 450 73rd Street N.W.  
Rochester, Minnesota 55901

Citizenship: United States of America

Post Office Address: same as above

---

Full name of second Inventor: Paul Reuben Day

Inventor's signature

Date

*Paul Reuben Day*

*4-12-1999*

---

Residence: 1428 12th Avenue N.E.  
Rochester, Minnesota 55906

Citizenship: United States of America

Post Office Address: same as above

RECEIVED  
APR 12 1999  
FBI - ROCHESTER